



elements





NEW PRODUCT LINE:

elements

Especially aspiring musicians are characterized by one thing above all: A tight budget. Therefore, every cent should be well considered and accessories such as cables should be as inexpensive as possible and still be of convincing quality. With elements, Cordial has created a price-conscious and beginner-friendly product line precisely for these future rock stars, which satisfies the elementary basic needs of a musician. Together with a reliable partner in China, it was not only possible to achieve low manufacturing costs, but also to realize our high quality requirements. At our location in Dachau, Germany, the products go through another quality control to ensure the well-known Cordial quality. For beginners and super price-conscious musicians a basic equipment to work with.

instrument cables



EI PP

elements



Bulk Cable elements INS 1

Plugs 1/4" Plug mono
1/4" Plug mono

Cond. area 0.22 mm² / AWG 24

Capacity < 85 pF/m

Resistance < 90 Ohm/km

Colour	Length	Part No.	Item no.
●	1.50	EI 1,5 PP	14755
●	3.00	EI 3 PP	14756
●	5.00	EI 5 PP	14757
●	6.00	EI 6 PP	14758
●	9.00	EI 9 PP	14759

EI PP-TWEED-BL

elements



Bulk Cable elements INS 4

Plugs 1/4" Plug mono
1/4" Plug mono

Cond. area 0.22 mm² / AWG 24

Capacity < 85 pF/m

Resistance < 90 Ohm/km

Colour	Length	Part No.	Item no.
●	1.50	EI 1,5 PP-TWEED-BL	14768
●	3.00	EI 3 PP-TWEED-BL	14769
●	5.00	EI 5 PP-TWEED-BL	14770
●	7.50	EI 7,5 PP-TWEED-BL	14771

EI PR

elements



Bulk Cable elements INS 1

Plugs 1/4" Plug mono
1/4" Plug right angle mono

Cond. area 0.22 mm² / AWG 24

Capacity < 85 pF/m

Resistance < 90 Ohm/km

Colour	Length	Part No.	Item no.
●	1.50	EI 1,5 PR	14760
●	3.00	EI 3 PR	14761
●	6.00	EI 6 PR	14762

EI PR-TWEED-BL

elements



Bulk Cable elements INS 4

Plugs 1/4" Plug mono
1/4" Plug right angle mono

Cond. area 0.22 mm² / AWG 24

Capacity < 85 pF/m

Resistance < 90 Ohm/km

Colour	Length	Part No.	Item no.
●	1.50	EI 1,5 PR-TWEED-BL	14779
●	3.00	EI 3 PR-TWEED-BL	14780
●	5.00	EI 5 PR-TWEED-BL	14781
●	7.50	EI 7,5 PR-TWEED-BL	14782

EI PP-TWEED-RD

elements



Bulk Cable elements INS 5

Plugs 1/4" Plug mono
1/4" Plug mono

Cond. area 0.22 mm² / AWG 24

Capacity < 85 pF/m

Resistance < 90 Ohm/km

Colour	Length	Part No.	Item no.
●	1.50	EI 1,5 PP-TWEED-RD	14772
●	3.00	EI 3 PP-TWEED-RD	14773
●	5.00	EI 5 PP-TWEED-RD	15002
●	7.50	EI 7,5 PP-TWEED-RD	14774

EI PR-TWEED-RD

elements



Bulk Cable elements INS 5

Plugs 1/4" Plug mono
1/4" Plug right angle mono

Cond. area 0.22 mm² / AWG 24

Capacity < 85 pF/m

Resistance < 90 Ohm/km

Colour	Length	Part No.	Item no.
●	1.50	EI 1,5 PR-TWEED-RD	14783
●	3.00	EI 3 PR-TWEED-RD	14784
●	5.00	EI 5 PR-TWEED-RD	14785
●	7.50	EI 7,5 PR-TWEED-RD	14786

EI PP-TWEED-YE

elements



Bulk Cable elements INS 3

Plugs 1/4" Plug mono
1/4" Plug mono

Cond. area 0.22 mm² / AWG 24

Capacity < 85 pF/m

Resistance < 90 Ohm/km

Colour	Length	Part No.	Item no.
●	1.50	EI 1,5 PP-TWEED-YE	14763
●	3.00	EI 3 PP-TWEED-YE	14764
●	5.00	EI 5 PP-TWEED-YE	14765
●	7.50	EI 7,5 PP-TWEED-YE	14766

EI PR-TWEED-YE

elements



Bulk Cable elements INS 3

Plugs 1/4" Plug mono
1/4" Plug right angle mono

Cond. area 0.22 mm² / AWG 24

Capacity < 85 pF/m

Resistance < 90 Ohm/km

Colour	Length	Part No.	Item no.
●	1.50	EI 1,5 PR-TWEED-YE	14775
●	3.00	EI 3 PR-TWEED-YE	14776
●	5.00	EI 5 PR-TWEED-YE	14777
●	7.50	EI 7,5 PR-TWEED-YE	14778

EI RR

elements



Bulk Cable elements INS 2 flat

Plugs 1/4" Plug right angle mono
1/4" Plug right angle mono

Cond. area 0.14 mm² / AWG 26

Capacity 122 pF/m

Resistance 122 Ohm/km

Colour	Length	Part No.	Item no.
●	0.05	EI 0,05 RR	14787
●	0.10	EI 0,1 RR	14788
●	0.15	EI 0,15 RR	14789
●	0.30	EI 0,3 RR	14790
●	0.60	EI 0,6 RR	14792
●	0.45	EI 0,45 RR	14791

EI PACK

elements



Bulk Cable elements INS 2

Plugs 1/4" Plug right angle mono
1/4" Plug right angle mono

Cond. area 0.16 mm² / AWG 26

Capacity 155 pF/m

Resistance 50 Ohm/km

Colour	Length	Part No.	Item no.
●●●●	0.15	EI PACK 1	14793
●●●●	0.30	EI PACK 2	14794
●●●●	0.60	EI PACK 3	14795

bulk cable	conductor ...					capacity (cond./screen)	shielding	jacket
	area	composition	material	resistance	isolation			
elements INS 1	0.22 mm ² AWG 24	28 x 0.10 mm	bare copper	< 90 Ohm/km	PE	< 85 pF/m	Spiral wound copper wire (spiral shield, 95% coverage) + conductive plastic	PVC
elements INS 2	0.14 mm ² AWG 26	18 x 0.10 mm	bare copper	122 Ohm/km	PE	122 pF/m	Spiral wound copper wire (spiral shield, 95% coverage)	PVC
elements INS 2 flat	0.16 mm ² AWG 26	20 x 0.10 mm	tinned copper	50 Ohm/km	LLDPE	155 pF/m	Spiral wound copper wire (spiral shield, 95% coverage) + conductive plastic	PVC
elements INS 3	0.22 mm ² AWG 24	28 x 0.10 mm	bare copper	< 90 Ohm/km	PE	< 85 pF/m	Spiral wound copper wire (spiral shield, 95% coverage) + conductive plastic	Textile
elements INS 4	0.22 mm ² AWG 24	28 x 0.10 mm	bare copper	< 90 Ohm/km	PE	< 85 pF/m	Spiral wound copper wire (spiral shield, 95% coverage) + conductive plastic	Textile
elements INS 5	0.22 mm ² AWG 24	28 x 0.10 mm	bare copper	< 90 Ohm/km	PE	< 85 pF/m	Spiral wound copper wire (spiral shield, 95% coverage) + conductive plastic	Textile

microphone cables



EM FM

elements



Bulk Cable	elements MIC 1
Plugs	XLR female 3-pole XLR male 3-pole
Cond. area	0.22 mm ² / AWG 24
Shielding	Spiral wound copper wire (spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	0.50	EM 0,5 FM	14743
●	1.00	EM 1 FM	14744
●	1.50	EM 1,5 FM	14745
●	2.50	EM 2,5 FM	14746
●	3.00	EM 3 FM	14747
●	5.00	EM 5 FM	14748
●	6.00	EM 6 FM	15001
●	7.50	EM 7,5 FM	14749
●	10.00	EM 10 FM	14750

EM FP

elements



Bulk Cable	elements MIC 1
Plugs	XLR female 3-pole 1/4" Plug mono
Cond. area	0.22 mm ² / AWG 24
Shielding	Spiral wound copper wire (spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	5.00	EM 5 FP	14751
●	10.00	EM 10 FP	14752

EM FV

elements



Bulk Cable	elements MIC 1
Plugs	XLR female 3-pole 1/4" Plug stereo
Cond. area	0.22 mm ² / AWG 24
Shielding	Spiral wound copper wire (spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	0.50	EM 0,5 FV	14819
●	1.00	EM 1 FV	14820
●	1.50	EM 1,5 FV	14821
●	3.00	EM 3 FV	14822
●	6.00	EM 6 FV	14823

EM MP

elements



Bulk Cable	elements MIC 1
Plugs	XLR male 3-pole 1/4" Plug mono
Cond. area	0.22 mm ² / AWG 24
Shielding	Spiral wound copper wire (spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	5.00	EM 5 MP	14753
●	10.00	EM 10 MP	14754

EM MV

elements



Bulk Cable	elements MIC 1
Plugs	XLR male 3-pole 1/4" Plug stereo
Cond. area	0.22 mm ² / AWG 24
Shielding	Spiral wound copper wire (spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	0.50	EM 0,5 MV	14809
●	1.00	EM 1 MV	14810
●	1.50	EM 1,5 MV	14811
●	3.00	EM 3 MV	14812
●	6.00	EM 6 MV	14813

EM VV

elements



Bulk Cable	elements MIC 1
Plugs	1/4" Plug stereo 1/4" Plug stereo
Cond. area	0.22 mm ² / AWG 24
Shielding	Spiral wound copper wire (spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	0.50	EM 0,5 VV	14814
●	1.00	EM 1 VV	14815
●	1.50	EM 1,5 VV	14816
●	3.00	EM 3 VV	14817
●	6.00	EM 6 VV	14818

EM VK

elements



Bulk Cable	elements MIC 2
Plugs	1/4" Plug stereo 1/4" Socket stereo
Cond. area	0.14 mm ² / AWG 26
Shielding	Spiral wound copper wire (spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	3.00	EM 3 VK	14824
●	5.00	EM 5 VK	14825
●	10.00	EM 10 VK	14826

bulk cable	conductor ...					capacity (cond./cond.)	shielding	jacket
	area	composition	material	resistance	isolation			
elements MIC 1	0.22 mm ² AWG 24	28 x 0.10 mm	bare copper	53 Ohm/km	PE	58 pF/m	Spiral wound copper wire (spiral shield, 95% coverage)	PVC
elements MIC 2	0.14 mm ² AWG 26	18 x 0.10 mm	bare copper	140 Ohm/km	PE	35 pF/m	Spiral wound copper wire (spiral shield, 95% coverage)	PVC

dmx, midi & loudspeaker cables



ED AA

elements



Bulk Cable elements MIDI

Plugs DIN 5-Pole/MIDI
DIN 5-Pole/MIDI

Cond. area 4x 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	0.50	ED 0,5 AA	14893
●	1.00	ED 1 AA	14894
●	1.50	ED 1,5 AA	14895
●	3.00	ED 3 AA	14896
●	6.00	ED 6 AA	14897

EL LL 215

elements



Bulk Cable elements LSP 1

Plugs Speaker twist 4-pole
Speaker twist 4-pole

Cond. area 1.50 mm² / AWG 16

Shielding -

Colour	Length	Part No.	Item no.
●	1.50	EL 1,5 LL 215	14796
●	3.00	EL 3 LL 215	14797
●	5.00	EL 5 LL 215	14798
●	10.00	EL 10 LL 215	14799

ED FM

elements



Bulk Cable elements DMX

Plugs XLR female 3-pole
XLR male 3-pole

Cond. area 0.22 mm² / AWG 24

Shielding Spiral wound copper wire (spiral shield, 95% coverage) + foil (AL/PT, 100% coverage)

Colour	Length	Part No.	Item no.
●	0.50	ED 0,5 FM	14898
●	1.00	ED 1 FM	14899
●	2.00	ED 2 FM	14900
●	3.00	ED 3 FM	14901
●	5.00	ED 5 FM	14902
●	10.00	ED 10 FM	14903

bulk cable	conductor ...				capa- city (cond/ cond.)	shielding	ja- cket
	area	com- posi- tion	resis- tance	iso- la- tion			
elements DMX	0.22 mm ² AWG 24	7 x 0.20 mm	< 85 Ohm/ km	PE	45 pF/m	Spiral wound copper wire (spiral shield, 95% cover- age) + foil (AL/PT, 100% coverage)	PVC
elements LSP 1	1.50 mm ² AWG 16	48 x 0.20 mm	95 Ohm/ km	PVC	195 pF/m	-	PVC
elements MIDI	4x 0.14 mm ² AWG 26	18 x 0.10 mm	122 Ohm/ km	PE	37 pF/m	Spiral wound copper wire (spiral shield, 95% coverage)	PVC

stereo connections



EU CC

elements



Bulk Cable elements MIC 2 twin

Plugs 2x Cinch-RCA
2x Cinch-RCA

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.50	EU 0,5 CC	14834
●	1.00	EU 1 CC	14835
●	1.50	EU 1,5 CC	14836
●	3.00	EU 3 CC	14837
●	6.00	EU 6 CC	14838

EU FC

elements



Bulk Cable elements MIC 2 twin

Plugs 2x XLR female 3-pole
2x Cinch-RCA

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EU 1 FC	14851
●	1.50	EU 1,5 FC	14852
●	3.00	EU 3 FC	14853

EU MC

elements



Bulk Cable elements MIC 2 twin

Plugs 2x XLR male 3-pole
2x Cinch-RCA

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EU 1 MC	14847
●	1.50	EU 1,5 MC	14848
●	3.00	EU 3 MC	14849
●	6.00	EU 6 MC	14850

EU PC

elements



Bulk Cable elements MIC 2 twin

Plugs 2x 1/4" Plug mono
2x Cinch-RCA

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EU 1 PC	14839
●	1.50	EU 1,5 PC	14840
●	3.00	EU 3 PC	14841
●	6.00	EU 6 PC	14842

EU PP

elements



Bulk Cable elements MIC 2 twin

Plugs 2x 1/4" Plug mono
2x 1/4" Plug mono

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EU 1 PP	14843
●	1.50	EU 1,5 PP	14844
●	3.00	EU 3 PP	14845
●	6.00	EU 6 PP	14846

ES WW

elements



Bulk Cable elements MIC 2

Plugs 1/8" Plug stereo
1/8" Plug stereo

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	0.50	ES 0,5 WW	14827
●	1.00	ES 1 WW	14828
●	1.50	ES 1,5 WW	14829
●	3.00	ES 3 WW	14830

ES WWR

elements



Bulk Cable elements MIC 2

Plugs 1/8" Plug stereo
1/8" Plug stereo rectangular

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 95% coverage)

Colour	Length	Part No.	Item no.
●	0.50	ES 0,5 WWR	14831
●	1.00	ES 1 WWR	14923
●	1.50	ES 1,5 WWR	14832
●	3.00	ES 3 WWR	14833

bulk cable	conductor ...					capacity (cond./cond.)	shielding	jacket
	area	composition	material	resistance	isolation			
elements MIC 2 twin	0.14 mm ² AWG 26	18 x 0.10 mm	bare copper	125 Ohm/km	PE	250 pF/m	Spiral wound copper wire (spiral shield, 90% coverage)	PVC
elements MIC 2	0.14 mm ² AWG 26	18 x 0.10 mm	bare copper	140 Ohm/km	PE	35 pF/m	Spiral wound copper wire (spiral shield, 95% coverage)	PVC

y-adapters



bulk cable	conductor ...					capacity (cond./cond.)	shielding	jacket
	area	composition	material	resistance	isolation			
elements MIC 2 twin	0.14 mm ² AWG 26	18 x 0.10 mm	bare copper	125 Ohm/km	PE	250 pF/m	Spiral wound copper wire (spiral shield, 90% coverage)	PVC
elements MIC 2 twin stereo	0.14 mm ² AWG 26	18 x 0.10 mm	bare copper	125 Ohm/km	PE	145 pF/m	Spiral wound copper wire (spiral shield, 90% coverage)	PVC

EY CEE

elements



Bulk Cable	elements MIC 2 twin
Plugs	1x Cinch-RCA 2x Socket Cinch/RCA
Cond. area	0.14 mm ² / AWG 26
Shielding	Spiral wound copper wire (spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 CEE	14891

EYECC

elements



Bulk Cable	elements MIC 2 twin
Plugs	1x Socket Cinch/RCA 2x Cinch-RCA
Cond. area	0.14 mm ² / AWG 26
Shielding	Spiral wound copper wire (spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 ECC	14888

EYYCC

elements



Bulk Cable	elements MIC 2 twin
Plugs	1x 1/8" Socket stereo 2x Cinch-RCA
Cond. area	0.14 mm ² / AWG 26
Shielding	Spiral wound copper wire (spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 YCC	14889

EY FMM

elements



Bulk Cable	elements MIC 2 twin stereo
Plugs	1x XLR female 3-pole 2x XLR male 3-pole
Cond. area	0.14 mm ² / AWG 26
Shielding	Spiral wound copper wire (spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 FMM	14880

EY MFF

elements



Bulk Cable elements MIC 2 twin stereo

Plugs 1x XLR male 3-pole
2x XLR female 3-pole

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 MFF	14881

EY KPP

elements



Bulk Cable elements MIC 2 twin

Plugs 1x 1/4" Socket stereo
2x 1/4" Plug mono

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 KPP	14885

EYVPP

elements



Bulk Cable elements MIC 2 twin

Plugs 1x 1/4" Plug stereo
2x 1/4" Plug mono

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EY1 VPP	14876
●	1.50	EY1,5 VPP	14877
●	3.00	EY3 VPP	14878
●	5.00	EY5 VPP	14879

EYVGG

elements



Bulk Cable elements MIC 2 twin

Plugs 1x 1/4" Plug stereo
2x 1/4" Plug Socket mono

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 VGG	14890

EYVKK

elements



Bulk Cable elements MIC 2 twin stereo

Plugs 1x 1/4" Plug stereo
2x 1/4" Socket stereo

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 VKK	14882

EYVYY

elements



Bulk Cable elements MIC 2 twin stereo

Plugs 1x 1/4" Plug stereo
2x 1/8" Socket stereo

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 VYY	14886

EY PGG

elements



Bulk Cable elements MIC 2 twin

Plugs 1x 1/4" Plug mono
2x 1/4" Plug Socket mono

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 PGG	14884

EY GPP

elements



Bulk Cable elements MIC 2 twin

Plugs 1x 1/4" Plug Socket mono
2x 1/4" Plug mono

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 GPP	14887

EYWCC

elements



Bulk Cable elements MIC 2 twin

Plugs 1x 1/8" Plug stereo
2x Cinch-RCA

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EY1 WCC	14854
●	1.50	EY1,5 WCC	14855
●	3.00	EY3 WCC	14856
●	5.00	EY5 WCC	14857

EYWRCC

elements



Bulk Cable elements MIC 2 twin

Plugs 1x 1/8" Plug stereo rectangular
2x Cinch-RCA

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EY1 WRCC	14858
●	1.50	EY1,5 WRCC	14859
●	3.00	EY3 WRCC	14860
●	5.00	EY5 WRCC	14861

EYWMM

elements



Bulk Cable elements MIC 2 twin

Plugs 1x 1/8" Plug stereo
3x XLR male 3-pole

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EY1 WMM	14870
●	1.50	EY1,5 WMM	14871
●	3.00	EY3 WMM	14872

EYWRMM

elements



Bulk Cable elements MIC 2 twin

Plugs 1x 1/8" Plug stereo rectangular
2x XLR male 3-pole

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EY1 WRMM	14873
●	1.50	EY1,5 WRMM	14874
●	3.00	EY3 WRMM	14875

EYWPP

elements



Bulk Cable elements MIC 2 twin

Plugs 1x 1/8" Plug stereo
2x 1/4" Plug mono

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EY1 WPP	14862
●	1.50	EY1,5 WPP	14863
●	3.00	EY3 WPP	14864
●	5.00	EY5 WPP	14865

EYWRPP

elements



Bulk Cable elements MIC 2 twin

Plugs 1x 1/8" Plug stereo rectangular
2x 1/4" Plug mono

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	1.00	EY1 WRPP	14866
●	1.50	EY1,5 WRPP	14867
●	3.00	EY3 WRPP	14868
●	5.00	EY5 WRPP	14869

EYWGG

elements



Bulk Cable elements MIC 2 twin

Plugs 1x 1/8" Plug stereo
2x 1/4" Plug Socket mono

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 WGG	14892

EYWYY

elements



Bulk Cable elements MIC 2 twin stereo

Plugs 1x 1/8" Plug stereo
2x 1/8" Socket stereo

Cond. area 0.14 mm² / AWG 26

Shielding Spiral wound copper wire
(spiral shield, 90% coverage)

Colour	Length	Part No.	Item no.
●	0.30	EY 0,3 WYY	14883



last updated:
07.2021