


compact lightweight powerful







### ZXA1 & ZXA1-Sub

The ZXA1 and ZXA1-Sub from Electro-Voice offer the best performance to weight ratio in portable sound – massive power with a minimal footprint.

Weighing-in at just 19 and 46 pounds respectively and equipped with the latest Electro-Voice-engineered components, the ZXA1 and ZXA1-Sub combine to deliver crisp, clean highs and larger-than-life lows in an unbelievably compact, self-powered package.

Add easy-to-use controls and connectivity to the equation and a ZXA1 system helps make load-in, set-up, and tear-down easier than ever, without cutting corners on audio quality – whatever your gig.

Big power has never been so portable... or looked so good.

# Powered ZXA1



## 8-inch two-way powered full-range loudspeaker

19 pounds, 8.6 kg

An incredibly versatile solution for mobile and small-venue sound reinforcement, ZXA1 features the latest professional-grade Electro-Voice drivers and a powerful 800-W amplifier, all presented in a stylish, super-durable ABS enclosure to create a lightweight loudspeaker that looks as good as it sounds. Whether used as a standalone loudspeaker or with a sub, turn up a ZXA1 and your eyes won't believe your ears: small-format never sounded better.

- Lightweight 800-W Class-D amplifier: 126-dB maximum SPL
- 8-inch high-output woofer and 1-inch true compression driver
- Rotatable 90° x 50° horn
- Selectable high-pass filter for use with subwoofer
- Line and microphone inputs
- Integral monitor angle and built-in pole mount
- 19 pounds, with handle for easy carrying

### Powered ZXA1-Sub



#### 12-inch powered subwoofer

46 pounds, 20.8 kg

Extending the ZXA1's size-defying performance and sleek styling into the low-end realm, the ZXA1-Sub packs 700 W of self-powered punch into a low-profile wood enclosure. Match ZXA1 with ZXA1-Sub and hear just how big a small rig can sound, whether you want to add a tight thump to a DJ set or give the highs and mids some breathing room in a live performance.

- Lightweight 700-W Class-D amplifier: 126-dB maximum SPL
- 12-inch high-output woofer
- Dual XLR stereo inputs and outputs
- DSP with low-end boost and polarity control
- Pole mount for full-range systems
- 9-ply/15-mm internally braced wood enclosure with textured paint
- 46 pounds, with handle for easy carrying





Headquarters Americas Bosch Security Systems, Inc. 12000 Portland Ave South, Burnsville, MN 55337, USA USA-Ph: 1 800 392 3497

Fax: 1 800 955 6831 Canada-Ph: 1 866 505 5551

Fax: 1 866 336 8467 Latin America-Ph: 1 952 887 5532

Fax: 1 952 736 4212